





| | NAME | SPECS | SITE | COUNTRY | CORES | R _{max} P/flop/s |
|---|-------------------|--|-----------------------|---------|-----------|---------------------------|
| 1 | Sequoia | IBM BlueGene/Q, Power BQC 16C 1.60 GHz, Custom interconnect | DOE / NNSA / LLNL | USA | 1,572,864 | 16.33 |
| 2 | K computer | Fujitsu SPARC64 VIIIfx 2.0GHz, Tofu interconnect | RIKEN AICS | Japan | 705,024 | 10.51 |
| 3 | Mira | IBM BlueGene/Q, Power BQC 16C 1.60 GHz, Custom interconnect | DOE / SC / ANL | USA | 786,432 | 8.153 |
| 4 | SuperMUC | IBM iDataPlex DX360M4, Xeon E5-2680 8C 2.70GHz, Infiniband QDR | Leibniz Rechenzentrum | Germany | 147,456 | 2.897 |
| 5 | Tianhe-1A | NUDT YH MPP, Xeon X5670 6C 2.93 GHz, NVIDIA 2050 | NUDT/NSCC/Tianjin | China | 186,368 | 2.566 |



HPLINPACK

A Portable Implementation of the High Performance Linpack Benchmark for Distributed Memory Computers

Algorithm: recursive panel factorizations, multiple lookahead depths, bandwidth reducing swapping

Easy to install, only needs MPI + BLAS or VSISL

Highly scalable and efficient from the smallest cluster to the largest supercomputers in the world

FIND OUT MORE AT <http://icl.eecs.utk.edu/hpl/>